


K303631UB

Single PC, Dual Access KVM Extender

The K303631UB is a Single PC, Dual Access KVM Extender Kit for installation where the console needs to be in a conveniently accessible location, but the computer system to reside in a long distance placed away from dust, and harsh environmental influences.



The Kit effectively extends PC KVM (Keyboard, Video and Mouse) control to the Console Receiver and also provides for convenient dual access; in addition to the Receiver console access, you can also connect a monitor/ keyboard/ mouse at the Transmitter site for local PC access.

Features


- ❖ Cat5e cable to connect the PC and Console - up to 120/200 meters.
- ❖ Dual Console Operation - control PC from Remote (PS2/USB) and Local Consoles (PS2/USB).
- ❖ High resolution video - up to 1920 x 1200 @ 60 Hz
- ❖ Console Receiver monitor supports EDID
- ❖ Console Receiver built with video EQ/Gain adjustments for optimum image.
- ❖ The 200 Meters Receiver supports RGB skew delay adjustment function.
- ❖ Pure hardware, Plug n Play design, no any additional software or driver need.

Front & Back View

BE-6301UH-110 KVM Transmitter




BE-6303UB Receiver



Specification

Model No.		K303631UB		
		BE-6301UH-110 Transmitter	BE-6303UB-120 Receiver	BE-6303UB-200 Receiver
Connectors	Keyboard	1 x 6-pin Mini-DIN Female (Purple) 1 x USB Type A Female		
	Video	1 x HDD-15 Female (Blue)		
	Mouse	1 x 6-pin Mini-DIN Female (Green) 1 x USB Type A Female		
KVM Ports		1 x HDD-15 Female	N/A	
Power		1 x DC Jack		
Unit to Unit		1 x RJ45 Female		
Video Gain		N/A	1 x Mini Pot	
Video EQ		N/A	1 x Mini Pot	
LEDs		1 (Green)		
Emulation Keyboard / Mouse		PS2 & USB		
Video		1920 x 1200@ 60Hz, DDC2B		
Distance		200M	120M	200M
Video Equalizer/Gain Adjustment		N/A	Yes	
Video RGB Skew delay Adjustment		N/A		Yes
Power Consumption		DC 5.0V : 1.2A		
Environment	Operating Temp.	0~70°C		
	Storage Temp.	-20~60°C		
	Humidity	0~80% RH		
Physical Properties	Housing	Metal		
	Weight	380 g		
	Dimensions	4.5 x 3.3 x 1.9 cm		

Diagram



Ordering Information

K303631UB-20

200 meters Single PC Dual Access CAT5 KVM Extender Kit, includes:
1 x BE-6301UH-110, External USB KVM Transmitter with local PS2/USB Console support, 1 x BE-6303UB-200, CAT5 PS2/USB KVM Console Receiver (built-in Video Gain/Equalizer and RGB skew for cable extension to 200 meters), 2 x 5V DC Power Adapters, 1 x 1.5 meter USB/VGA KVM attach cable

K303631UB-12

120 meters Single PC Dual Access CAT5 KVM Extender Kit, includes:
1 x BE-6301UH-110, External USB KVM Transmitter with local PS2/USB Console support, 1 x BE-6303UB-120, CAT5 PS2/USB KVM Console Receiver (built-in Video Gain/Equalizer for cable extension to 120 meters), 2 x 5V DC Power Adapters, 1 x 1.5 meter USB/VGA KVM attach cable